

SAFETY DATA SHEET**Auramine Phenol**

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name Auramine Phenol
Product number PL.7033, PL.7034, PL.7035, PL.7033/25, PL.7033/100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory reagent.
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Pro-Lab Diagnostics
3 Bassendale Road
Wirral
Merseyside
CH62 3QL
Tel: 0151 353 1613
Fax: 0151 353 1614
mowen@pro-lab.com

1.4. Emergency telephone number

Emergency telephone +44 (0)151 353 1613 Monday to Friday 9.00 to 17.00
+44 (0)7714 429 646 outside the above hours

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

Physical hazards Not Classified
Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318 Muta. 2 - H341
Environmental hazards Aquatic Chronic 3 - H412
Human health Corrosive to skin and eyes. Contains a substance which may cause genetic defects.
Environmental The product contains a substance which may cause long-term adverse effects in the environment.

2.2. Label elements**Pictogram**

Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.
H341 Suspected of causing genetic defects.
H412 Harmful to aquatic life with long lasting effects.

Auramine Phenol

| | |
|---|---|
| Precautionary statements | <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p> |
| Contains | phenol |
| Supplementary precautionary statements | <p>P202 Do not handle until all safety precautions have been read and understood.</p> <p>P260 Do not breathe vapours.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P405 Store locked up.</p> |

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | | |
|--|----------------------|--|
| phenol | | 2.5 - <5% |
| CAS number: 108-95-2 | EC number: 203-632-7 | REACH registration number: 01-2119471329-32-XXXX |
| Classification | | |
| Acute Tox. 3 - H301 | | |
| Acute Tox. 3 - H311 | | |
| Acute Tox. 3 - H331 | | |
| Skin Corr. 1B - H314 | | |
| Eye Dam. 1 - H318 | | |
| Muta. 2 - H341 | | |
| STOT RE 2 - H373 | | |
| Aquatic Chronic 2 - H411 | | |
| ethanol | | 2.5 - <5% |
| CAS number: 64-17-5 | EC number: 200-578-6 | REACH registration number: 01-2119457610-43-XXXX |
| Substance with National workplace exposure limits. | | |
| Classification | | |
| Flam. Liq. 2 - H225 | | |
| Eye Irrit. 2 - H319 | | |

Auramine Phenol

| | |
|---|--|
| 4,4'-carbonimidoylbis(N,N-dimethylaniline) monohydrochloride | 0.25 - <0.5% |
| CAS number: 2465-27-2 | EC number: 219-567-2 |
| Classification | |
| Acute Tox. 4 - H302 | |
| Acute Tox. 3 - H311 | |
| Eye Irrit. 2 - H319 | |
| Carc. 2 - H351 | |
| Aquatic Chronic 2 - H411 | |
| methanol | 0.025 - <0.25% |
| CAS number: 67-56-1 | EC number: 200-659-6 |
| | REACH registration number: 01-2119433307-44-XXXX |
| Classification | |
| Flam. Liq. 2 - H225 | |
| Acute Tox. 3 - H301 | |
| Acute Tox. 3 - H311 | |
| Acute Tox. 3 - H331 | |
| STOT SE 1 - H370 | |

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------------|--|
| General information | Keep affected person away from heat, sparks and flames. |
| Inhalation | Immediate first aid is imperative. Loosen tight clothing such as collar, tie or belt. Maintain an open airway. Move affected person to fresh air at once. Place unconscious person on their side in the recovery position and ensure breathing can take place. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. |
| Ingestion | Rinse mouth thoroughly with water. Do not induce vomiting unless under the direction of medical personnel. If in doubt, get medical attention promptly. |
| Skin contact | Rinse cautiously with water for several minutes. Remove contaminated clothing. Wash contaminated clothing before reuse. |
| Eye contact | Remove contact lenses, if present and easy to do. Continue rinsing. Rinse immediately with plenty of water. Get medical attention if symptoms are severe or persist after washing. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|---|
| Inhalation | Symptoms following overexposure may include the following: Coughing, chest tightness, feeling of chest pressure. Drowsiness, dizziness, disorientation, vertigo. Irritation of nose, throat and airway. May cause discomfort. |
| Ingestion | Coughing, chest tightness, feeling of chest pressure. Gastrointestinal symptoms, including upset stomach. May cause chemical burns in mouth, oesophagus and stomach. |
| Skin contact | This product is strongly corrosive. Causes severe burns. Pain. Redness. |
| Eye contact | Causes serious eye damage. Conjunctivitis, irritation, tearing. Profuse watering of the eyes. |

4.3. Indication of any immediate medical attention and special treatment needed

Auramine Phenol

Notes for the doctor The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Water used for fire extinguishing, which has been in contact with the product, may be corrosive.

5.3. Advice for firefighters

Protective actions during firefighting Fight fire from safe distance or protected location. Use water spray to reduce vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Control run-off water by containing and keeping it out of sewers and watercourses. Contain and collect extinguishing water.

Special protective equipment for firefighters Use air-supplied respirator, gloves and protective goggles. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Use protective equipment appropriate for surrounding materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Follow precautions for safe handling described in this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation.

6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Take care as floors and other surfaces may become slippery. Contain spillage with sand, earth or other suitable non-combustible material. Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid breathing vapours. Avoid contact with eyes and prolonged skin contact.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Take off contaminated clothing and wash it before reuse. Wash promptly with soap and water if skin becomes contaminated.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep at temperature not exceeding 25°C.

Auramine Phenol

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

phenol

Long-term exposure limit (8-hour TWA): WEL 2 ppm 7.8 mg/m³

Short-term exposure limit (15-minute): WEL 4 ppm 16 mg/m³

Sk

ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

methanol

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

phenol (CAS: 108-95-2)

| | |
|-------------|--|
| DNEL | <p>Workers - Inhalation; Long term systemic effects: 8 mg/m³</p> <p>Workers - Inhalation; Short term local effects: 16 mg/m³</p> <p>Workers - Dermal; Long term systemic effects: 1.23 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 1.32 mg/m³</p> <p>General population - Dermal; Long term systemic effects: 0.4 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 0.4 mg/kg/day</p> |
| PNEC | <p>- Fresh water; 0.008 mg/l</p> <p>- Fresh water, Intermittent release; 0.031 mg/l</p> <p>- Marine water; 0.001 mg/l</p> <p>- STP; 2.1 mg/l</p> <p>- Sediment (Freshwater); 0.009 mg/kg</p> <p>- Sediment (Marinewater); 0.009 mg/kg</p> <p>- Soil; 0.136 mg/kg</p> |

methanol (CAS: 67-56-1)

| | |
|-------------|--|
| DNEL | <p>Workers - Inhalation; Long term systemic effects: 260 mg/m³</p> <p>Workers - Inhalation; Short term systemic effects: 260 mg/m³</p> <p>Workers - Inhalation; Long term local effects: 260 mg/m³</p> <p>Workers - Inhalation; Short term local effects: 260 mg/m³</p> <p>Workers - Dermal; Long term systemic effects: 40 mg/kg/day</p> <p>Workers - Dermal; Short term systemic effects: 40 mg/kg/day</p> <p>General population - Inhalation; Long term systemic effects: 50 mg/m³</p> <p>General population - Inhalation; Short term systemic effects: 50 mg/m³</p> <p>General population - Inhalation; Long term local effects: 50 mg/m³</p> <p>General population - Inhalation; Short term local effects: 50 mg/m³</p> <p>General population - Dermal; Long term systemic effects: 8 mg/kg/day</p> <p>General population - Dermal; Short term systemic effects: 8 mg/kg/day</p> <p>General population - Oral; Long term systemic effects: 8 mg/kg/day</p> <p>General population - Oral; Short term systemic effects: 8 mg/kg/day</p> |
|-------------|--|

Auramine Phenol

| | |
|-------------|---|
| PNEC | <ul style="list-style-type: none"> - Fresh water; 20.8 mg/l - Fresh water, Intermittent release; 1540 mg/l - Marine water; 2.08 mg/l - STP; 100 mg/l - Sediment (Freshwater); 77 mg/kg - Sediment (Marinewater); 7.7 mg/kg - Soil; 100 mg/kg |
|-------------|---|

8.2. Exposure controls

| | |
|---|--|
| Appropriate engineering controls | Avoid inhalation of vapours and spray/mists. Good general ventilation should be adequate to control worker exposure to airborne contaminants. In case of insufficient ventilation, wear suitable respiratory equipment. |
| Eye/face protection | Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended. The breakthrough time for any glove material may be different for different glove manufacturers. |
| Hygiene measures | Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. |
| Respiratory protection | If ventilation is inadequate, suitable respiratory protection must be worn. Seek advice from supervisor on the company's respiratory protection standards. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. |

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|---|-------------------|
| Appearance | Liquid. |
| Colour | Yellow. |
| Odour | Almost odourless. |
| pH | Not relevant. |
| Melting point | Not relevant. |
| Initial boiling point and range | Not determined. |
| Flash point | Not determined. |
| Evaporation rate | Not determined. |
| Flammability (solid, gas) | Not determined. |
| Upper/lower flammability or explosive limits | Not determined. |
| Vapour pressure | Not determined. |
| Vapour density | Not relevant. |
| Relative density | Not determined. |
| Solubility(ies) | Soluble in water. |

Auramine Phenol

| | |
|----------------------------------|---|
| Partition coefficient | Not determined. |
| Auto-ignition temperature | Not determined. |
| Decomposition Temperature | Not determined. |
| Viscosity | Not determined. |
| Explosive properties | Not considered to be explosive. |
| Oxidising properties | Does not meet the criteria for classification as oxidising. |

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Acids. Alkalis. Oxidising agents.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Acids. Alkalis. Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO₂). Carbon monoxide (CO). Nitrous gases (NO_x). Hydrocarbons. Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 2,463.05

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 12,509.5

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

ATE inhalation (gases ppm) 388,896.67

ATE inhalation (vapours mg/l) 71.77

Skin corrosion/irritation

Animal data Skin Corr. 1B - H314 Causes severe skin burns and eye damage.

Auramine Phenol

Serious eye damage/irritation

Serious eye damage/irritation Eye Dam. 1 - H318 Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Muta. 2 - H341 Suspected of causing genetic defects.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Inhalation

Corrosive to the respiratory tract. Burns can occur. May cause respiratory system irritation.

Ingestion

May cause chemical burns in mouth, oesophagus and stomach.

Skin contact

This product is corrosive. Causes severe burns. Blistering may occur.

Eye contact

This product is corrosive. Causes serious eye damage.

Acute and chronic health hazards

Suspected of causing genetic defects.

Route of exposure

Inhalation Ingestion Skin and/or eye contact

Toxicological information on ingredients.

phenol

Acute toxicity - oral

Notes (oral LD₅₀) Acute Tox. 3 - H301 Toxic if swallowed.

ATE oral (mg/kg) 100.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 660.0

Species Rat

Notes (dermal LD₅₀) REACH dossier information. Acute Tox. 3 - H311 Toxic in contact with skin.

ATE dermal (mg/kg) 660.0

Acute toxicity - inhalation

Auramine Phenol

| | |
|--|---|
| Notes (inhalation LC₅₀) | Acute Tox. 3 - H331 Toxic if inhaled. |
| ATE inhalation (vapours mg/l) | 3.0 |
| <u>Skin corrosion/irritation</u> | |
| Animal data | Dose: 0.5 g, 24 hours, Rabbit Erythema/eschar score: Severe erythema (beef redness) to eschar formation preventing grading of erythema (4). REACH dossier information. Corrosive. |
| <u>Serious eye damage/irritation</u> | |
| Serious eye damage/irritation | Dose: 100 mg, < 14 days, Rabbit REACH dossier information. Corrosive to skin. Corrosivity to eyes is assumed. |
| <u>Skin sensitisation</u> | |
| Skin sensitisation | Local Lymph Node Assay (LLNA) - Mouse: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met. |
| <u>Germ cell mutagenicity</u> | |
| Genotoxicity - in vitro | Chromosome aberration: Positive. REACH dossier information. May induce heritable mutations in the germ cells of humans. |
| <u>Carcinogenicity</u> | |
| Carcinogenicity | NOAEL 5000 ppm, Oral, Mouse REACH dossier information. Based on available data the classification criteria are not met. |
| <u>Reproductive toxicity</u> | |
| Reproductive toxicity - fertility | Two-generation study - NOAEL 1000 mg/l, Oral, Rat P REACH dossier information. Based on available data the classification criteria are not met. |
| Reproductive toxicity - development | Developmental toxicity:, Maternal toxicity: - NOAEL: 140 mg/kg/day, Oral, Mouse No evidence of reproductive toxicity in animal studies. |
| <u>Specific target organ toxicity - repeated exposure</u> | |
| STOT - repeated exposure | STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. |

ethanol

| | |
|---|---|
| <u>Acute toxicity - oral</u> | |
| Acute toxicity oral (LD₅₀ mg/kg) | 10,470.0 |
| Species | Rat |
| Notes (oral LD₅₀) | REACH dossier information. Based on available data the classification criteria are not met. |
| ATE oral (mg/kg) | 10,470.0 |
| <u>Acute toxicity - inhalation</u> | |
| Acute toxicity inhalation (LC₅₀ vapours mg/l) | 124.7 |
| Species | Rat |
| Notes (inhalation LC₅₀) | REACH dossier information. Based on available data the classification criteria are not met. |

Auramine Phenol

| | |
|--|--|
| ATE inhalation (vapours mg/l) | 124.7 |
| <u>Skin corrosion/irritation</u> | |
| Animal data | Dose: 0.2 ml, 24 hours, Rabbit Primary dermal irritation index: 0 / 8 REACH dossier information. Not irritating. |
| <u>Serious eye damage/irritation</u> | |
| Serious eye damage/irritation | Dose: 0.1 mL, 21 days, Rabbit Causes eye irritation. REACH dossier information. |
| <u>Respiratory sensitisation</u> | |
| Respiratory sensitisation | Rat: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met. |
| <u>Skin sensitisation</u> | |
| Skin sensitisation | Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Read across data. Based on available data the classification criteria are not met. |
| <u>Germ cell mutagenicity</u> | |
| Genotoxicity - in vitro | Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met. |
| Genotoxicity - in vivo | Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met. |
| <u>Carcinogenicity</u> | |
| IARC carcinogenicity | IARC Group 1 Carcinogenic to humans. |
| <u>Reproductive toxicity</u> | |
| Reproductive toxicity - fertility | Two-generation study - NOAEL 15 %, Oral, Mouse P REACH dossier information. |
| Reproductive toxicity - development | Maternal toxicity: - NOAEL: 16000 ppm, Inhalation, Rat REACH dossier information. |
| <u>Specific target organ toxicity - repeated exposure</u> | |
| STOT - repeated exposure | LOAEL 4 mL/Kg, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met. |
| <u>4,4'-carbonimidoylbis(N,N-dimethylaniline) monohydrochloride</u> | |
| <u>Acute toxicity - oral</u> | |
| Acute toxicity oral (LD₅₀ mg/kg) | 480.0 |
| Species | Mouse |
| Notes (oral LD₅₀) | Acute Tox. 4 - H302 Harmful if swallowed. |
| ATE oral (mg/kg) | 480.0 |
| <u>Acute toxicity - dermal</u> | |
| Acute toxicity dermal (LD₅₀ mg/kg) | 300.0 |

Auramine Phenol

| | |
|--|--|
| Species | Mouse |
| Notes (dermal LD₅₀) | Acute Tox. 3 - H311 Toxic in contact with skin. |
| ATE dermal (mg/kg) | 300.0 |
| <u>Serious eye damage/irritation</u> | |
| Serious eye damage/irritation | Eye Irrit. 2 - H319 Causes serious eye irritation. |
| <u>Carcinogenicity</u> | |
| Carcinogenicity | Carc. 2 - H351 Suspected of causing cancer. |
| <u>methanol</u> | |
| <u>Acute toxicity - oral</u> | |
| Notes (oral LD₅₀) | International Programme on Chemical Safety (IPCS) (1997) Environmental Health Criteria 196: Methanol. Geneva, World Health Organization. Toxic if swallowed. |
| ATE oral (mg/kg) | 100.0 |
| <u>Acute toxicity - dermal</u> | |
| Notes (dermal LD₅₀) | Converted acute toxicity point estimate (cATpE) Toxic in contact with skin. |
| <u>Acute toxicity - inhalation</u> | |
| Notes (inhalation LC₅₀) | Converted acute toxicity point estimate (cATpE) Toxic if inhaled. |
| ATE inhalation (gases ppm) | 700.0 |
| ATE inhalation (vapours mg/l) | 3.0 |
| <u>Skin corrosion/irritation</u> | |
| Animal data | Dose: 2.5cm x 2.5cm, 20 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). REACH dossier information. Based on available data the classification criteria are not met. |
| <u>Serious eye damage/irritation</u> | |
| Serious eye damage/irritation | Dose: 0.05 ml, 24 hours, Rabbit REACH dossier information. Based on available data the classification criteria are not met. |
| <u>Skin sensitisation</u> | |
| Skin sensitisation | Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met. |
| <u>Germ cell mutagenicity</u> | |
| Genotoxicity - in vitro | Bacterial reverse mutation test: Negative. REACH dossier information. Based on available data the classification criteria are not met. |
| Genotoxicity - in vivo | Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met. |
| <u>Specific target organ toxicity - single exposure</u> | |
| STOT - single exposure | STOT SE 1 - H370 |
| Target organs | Eyes Central nervous system |

Auramine Phenol

Specific target organ toxicity - repeated exposure

STOT - repeated exposure LOAEL 2340 mg/kg/day, Oral, Monkey REACH dossier information. Based on available data the classification criteria are not met.

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

phenol

Toxicity Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 8.9 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 3.1 mg/l, Ceriodaphnia dubia

Acute toxicity - aquatic plants EC₅₀, 96 hours: 61.1 mg/l, Pseudokirchneriella subcapitata

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, 60 days: 0.077 mg/l, Cirrhina mrigala

Chronic toxicity - aquatic invertebrates NOEC, 16 days: 0.16 mg/l, Daphnia magna

ethanol

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 14200 mg/l, Pimephales promelas (Fat-head Minnow) REACH dossier information.

Acute toxicity - aquatic invertebrates LC₅₀, 48 hours: 5012 mg/l, Ceriodaphnia dubia REACH dossier information.

Acute toxicity - aquatic plants EC₅₀, 72 hours: 275 mg/l, Chlorella vulgaris REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, 120 hours: 250 mg/l, Brachydanio rerio (Zebra Fish)

Chronic toxicity - aquatic invertebrates NOEC, 9 days: 9.6 mg/l, Daphnia magna REACH dossier information.

4,4'-carbonimidoylbis(N,N-dimethylaniline) monohydrochloride

Toxicity Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

methanol

Acute aquatic toxicity

Auramine Phenol

| | |
|---|--|
| Acute toxicity - fish | LC ₅₀ , 96 hours: 15400 mg/l, Lepomis macrochirus (Bluegill) EC ₅₀ , 96 hours: 12700 mg/l, Lepomis macrochirus (Bluegill) REACH dossier information. |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , 96 hours: 18260 mg/l, Daphnia magna REACH dossier information. |
| Acute toxicity - aquatic plants | EC ₅₀ , 96 hours: ~ 22000 mg/l, Pseudokirchneriella subcapitata REACH dossier information. |
| Acute toxicity - microorganisms | IC ₅₀ , 3 hours: >1000 mg/l, Activated sludge REACH dossier information. |

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. Volatile substances are degraded in the atmosphere within a few days.

Ecological information on ingredients.

phenol

| | |
|----------------------------|-------------------------------------|
| Phototransformation | Water - DT ₅₀ : 14 hours |
| Biodegradation | Water - Degradation 80.1%: 50 days |

ethanol

| | |
|-------------------------------|---|
| Biodegradation | Water - Degradation (74%): 10 days REACH dossier information. The substance is readily biodegradable. |
| Chemical oxygen demand | 1.99 g O ₂ /g substance REACH dossier information. |

methanol

| | |
|----------------------------|--|
| Phototransformation | Water - DT ₅₀ : 17.2 days REACH dossier information. |
| Biodegradation | Water - Degradation (95%): 20 days Water - Degradation (91%): 15 days Water - Degradation (88%): 10 days Water - Degradation (76%): 5 days REACH dossier information. The substance is readily biodegradable. |

12.3. Bioaccumulative potential

| | |
|----------------------------------|-----------------|
| Bioaccumulative potential | Not determined. |
| Partition coefficient | Not determined. |

Ecological information on ingredients.

phenol

| | |
|----------------------------------|---|
| Bioaccumulative potential | BCF: 17.5, Brachydanio rerio (Zebra Fish) |
| Partition coefficient | log Pow: 1.47 |

ethanol

Auramine Phenol

Partition coefficient log Pow: - 0.35 REACH dossier information.

methanol

Partition coefficient log Pow: -0.77 REACH dossier information.

12.4. Mobility in soil

Mobility The product contains organic solvents which will evaporate easily from all surfaces. The product contains substances which are water-soluble and may spread in water systems.

Ecological information on ingredients.

phenol

Adsorption/desorption coefficient Water - Koc: 14-26 @ 25°C

Henry's law constant 0.022 Pa m³/mol @ 20°C

Surface tension 71.3 mN/m @ 20°C

ethanol

Surface tension 24.5 mN/m @ 20°C/68°F REACH dossier information.

methanol

Mobility Mobile.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

phenol

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

ethanol

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

methanol

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects Not relevant.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Auramine Phenol

| | |
|----------------------------|---|
| General information | Reuse or recycle products wherever possible. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. |
| Disposal methods | Absorb in vermiculite, dry sand or earth and place into containers. Place waste in labelled, sealed containers. Dispose of contents/container in accordance with national regulations. |

SECTION 14: Transport information

14.1. UN number

| | |
|------------------|------|
| UN No. (ADR/RID) | 3267 |
| UN No. (IMDG) | 3267 |
| UN No. (ICAO) | 3267 |
| UN No. (ADN) | 3267 |

14.2. UN proper shipping name

| | |
|--------------------------------|---|
| Proper shipping name (ADR/RID) | CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (phenol) |
| Proper shipping name (IMDG) | CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (phenol) |
| Proper shipping name (ICAO) | CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (phenol) |
| Proper shipping name (ADN) | CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (phenol) |

14.3. Transport hazard class(es)

| | |
|-----------------------------|----|
| ADR/RID class | 8 |
| ADR/RID classification code | C7 |
| ADR/RID label | 8 |
| IMDG class | 8 |
| ICAO class/division | 8 |
| ADN class | 8 |

Transport labels



14.4. Packing group

| | |
|-----------------------|----|
| ADR/RID packing group | II |
| IMDG packing group | II |
| ADN packing group | II |
| ICAO packing group | II |

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS F-A, S-B

Auramine Phenol

| | |
|---|-----|
| ADR transport category | 2 |
| Emergency Action Code | 2X |
| Hazard Identification Number (ADR/RID) | 80 |
| Tunnel restriction code | (E) |

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|-----------------------------|---|
| National regulations | EH40/2005 Workplace exposure limits. |
| EU legislation | Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). |

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

| | |
|---|---|
| Abbreviations and acronyms used in the safety data sheet | ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ATE: Acute Toxicity Estimate. BCF: Bioconcentration Factor. DNEL: Derived No Effect Level. EC ₅₀ : 50% of maximal Effective Concentration. IATA: International Air Transport Association. ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. LC ₅₀ : Lethal Concentration to 50 % of a test population. LD ₅₀ : Lethal Dose to 50% of a test population (Median Lethal Dose). NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration. PNEC: Predicted No Effect Concentration. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. |
|---|---|

Auramine Phenol

| | |
|---|---|
| Classification abbreviations and acronyms | Acute Tox. = Acute toxicity Aquatic Chronic = Hazardous to the aquatic environment (chronic) Carc. = Carcinogenicity Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Muta. = Germ cell mutagenicity Skin Corr. = Skin corrosion STOT RE = Specific target organ toxicity-repeated exposure STOT SE = Specific target organ toxicity-single exposure |
| Classification procedures according to Regulation (EC) 1272/2008 | Skin Corr. 1B - H314, Eye Dam. 1 - H318, Muta. 2 - H341, Aquatic Chronic 3 - H412: Calculation method. |
| Revision date | 01/10/2017 |
| Revision | 10 |
| Supersedes date | 27/09/2016 |
| SDS number | 769 |
| Hazard statements in full | H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs . H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. |

The information in this safety data sheet was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Pro-Lab Diagnostics control, it is the users responsibility to perform thorough testing of this product when used in combination with any other product. It is suggested that users familiarise themselves with this safety data sheet before handling the product.